


OPTIONS:



GLASS THICKNESS RANGE 0.7mm TO 3.00mm
 GLASS FISHING – CLEAR OR GLOSS
 BLACK BORDERS ALSO AVAILABLE.

REVISIONS		
REV.	DESCRIPTION	DATE
0	INITIAL RELEASE	01/25/19
A		
B		
C		
D		
E		
F		



- GENERAL NOTES:
1. CONSTRUCTION:
 FILM/FILM, SENSOR IS DESIGNED WITHOUT GLASS. SEE OPTIONS FOR GLASS THICKNESS.
 2. OPERATION TEMP:
 -10° TO 70°C
 3. HUMIDITY:
 < 40°C 20%-95% RH NO CONDENSATION.
 4. STORAGE TEMP:
 -20°C TO 70°C
 5. FFC BEND R > 2.0MM
 NO SHARP CREASE
 6. OPTICAL PER.
 >85% TRANSPARENCY PER JIS K7361-1

Key Matrix



JP1- Ptn Assignment

No.	1	2	3	4	5	6	7	8	9	10
ID	GNDE	XGND	VDD	SDA	SCL	INT	RST	D+	D-	GNDE

USB OR I²C AVAILABLE.

CAD DRAWING
 NOTICE
 THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY GUNZE ELECTRONICS USA CORPORATION AND SHALL NOT BE DISCLOSED, USED, OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES, UNLESS SPECIFICALLY AUTHORIZED BY GUNZE ELECTRONICS USA CORPORATION. ALL PATENT RIGHTS RELATING HERETO ARE EXPRESSLY RESERVED FOR GUNZE ELECTRONICS USA CORPORATION.
 This notice shall be marked on any reproduction hereof in whole or part.

DEC. TOLERANCES:
 .XX = ±0.30
 ANGULAR TOL. = ±1°
 FRAC. TOL. XX = ±1/16

DESIGNER: VTRINH 01/25/19
 CHKD.
 DESIGN ENG. LHRUIZ 01/25/19
 VIEW POINT:

CUSTOMER #: ER17-TBD
 MATERIAL SPEC. P-Cap Internal

SCALE: 1:1
 REVISION: 0

GUNZE USA
 Gunze Electronics USA Corporation
 2113 Wells Branch Parkway
 Austin, Texas 78728

TITLE: EETI PCAP 10.4D
 28x37; COF BASE SENSOR

PART NO: 170-4750
 CUSTOMER ID: GUNZE USA